


Shop Amantii at Spotix

Shop Now >









TECHNICAL SPECIFICATIONS		
VOLTS		120V
AMPS		12.5A
WATTS		1500W
HEATER	HIGH	1500W watts
	LOW	750W watts
NO HEATER		15.6 WATTS MAX
LAMPS	QUANTITY	75 PCS LED
	WATTS	0.5W&0.15W&0.06W
	TOTAL WATTS	14.6 W
ROTOR MOTOR		1 at 2.9 watts
HEIGHT.WIDTH.DEPTH		49.2 X 91.5 X 13.1 cm
GLASS VIEWING OPENING		28.2 X81.5cm
FRAMING SIZE		47 X 85.9 X 17.3 cm
SHIPPING SIZE		
SHIPPING WEIGHT		*** Kgs
	UNIT	1
	GLASS FRONT	Included
PLUG LOCATION		Left Side
COROD LENGTH		70.9 < L < 95.5
APPROX.HEATING AREA		400 SQ FT




Fire & Ice

SERIES	MODEL		REV
Evolution Linear	EVO3620		1
SCALE 1"=1'-0"	DATE:16/05/2024	SHEET 1 OF 1	








TECHNICAL SPECIFICATIONS


VOLTS		120V
AMPS		12.5A
WATTS		1500W
HEATER	HIGH	1500W watts
	LOW	750W watts
NO HEATER		15.6 WATTS MAX
LAMPS	QUANTITY	122 PCS LED
	WATTS	0.5W&0.15W&0.06W
	TOTAL WATTS	14.6 W
ROTOR MOTOR		1 at 2.9 watts
HEIGHT.WIDTH.DEPTH		19 1/2 " X36 " X5 1/8 "
GLASS VIEWING OPENING		11 1/8 " X32 1/8 "
FRAMING SIZE		18 1/2 " X33 7/8 " X6 7/8 "
SHIPPING SIZE		
SHIPPING WEIGHT		*** Kgs
	UNIT	1
	GLASS FRONT	Included
PLUG LOCATION		Left Side
COROD LENGTH		70.9 < L < 95.5
APPROX.HEATING AREA		400 SQ FT



Fire & Ice

SERIES Evolution Linear	MODEL EVO3620		REV 1
SCALE 1"=1'-0"	DATE:16/05/2024	SHEET 1 OF 1	






TECHNICAL SPECIFICATIONS


VOLTS		120V
AMPS		12.5A
WATTS		1500W
HEATER	HIGH	1500W watts
	LOW	750W watts
NO HEATER		15.8 WATTS MAX
LAMPS	QUANTITY	91 PCS LED
	WATTS	0.5W&0.15W&0.06W
	TOTAL WATTS	14.8 W
ROTOR MOTOR		1 at 2.9 watts
HEIGHT.WIDTH.DEPTH		49.2 X 106.7 X 13.1 cm
GLASS VIEWING OPENING		28.2 X96.7 cm
FRAMING SIZE		47 X 107.9 X 17.3 cm
SHIPPING SIZE		
SHIPPING WEIGHT		*** Kgs
	UNIT	1
	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORO LENGTH		70.9 < L < 95.5
APPROX.HEATING AREA		400 SQ FT



Fire & Ice

SERIES Classic Traditional	MODEL EVO4220		REV 1
SCALE 1"=1'-0"	DATE:16/05/2024	SHEET 1 OF 1	






TECHNICAL SPECIFICATIONS

VOLTS		120V
AMPS		12.5A
WATTS		1500W
HEATER	HIGH	1500W watts
	LOW	750W watts
NO HEATER		15.8 WATTS MAX
LAMPS	QUANTITY	91 PCS LED
	WATTS	0.5W&0.15W&0.06W
	TOTAL WATTS	14.8 W
ROTOR MOTOR		1 at 2.9 watts
HEIGHT.WIDTH.DEPTH		19 1/2 " X42 " X5 1/8 "
GLASS VIEWING OPENING		11 1/8 " X38 1/8 "
FRAMING SIZE		18 1/2 " X42 1/2 " X6 7/8 "
SHIPPING SIZE		
SHIPPING WEIGHT		*** Kgs
	UNIT	1
	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORO LENGTH		70.9 < L < 95.5
APPROX.HEATING AREA		400 SQ FT



Fire & Ice

SERIES Classic Traditional	MODEL EVO4220		REV 1
SCALE 1"=1'-0"	DATE:16/05/2024	SHEET 1 OF 1	




TECHNICAL SPECIFICATIONS

VOLTS		120V
AMPS		12.5A
WATTS		1500W
HEATER	HIGH	1500W watts
	LOW	750W watts
NO HEATER		27 WATTS MAX
LAMPS	QUANTITY	114 PCS LED
	WATTS	0.5W&0.15W&0.06W
	TOTAL WATTS	26.3 W
ROTOR MOTOR		1 at 2.9 watts
HEIGHT.WIDTH.DEPTH		49.2 X 127 X 13.1 cm
GLASS VIEWING OPENING		28.2 X117 cm
FRAMING SIZE		47 X 121.5 X 17.3 cm
SHIPPING SIZE		
SHIPPING WEIGHT		*** Kgs
	UNIT	1
	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORO LENGTH		70.9 < L < 95.5
APPROX.HEATING AREA		400 SQ FT



Fire & Ice

SERIES Classic Traditional	MODEL EVO5020		REV 1
SCALE 1"=1'-0"	DATE:16/05/2024	SHEET 1 OF 1	




TECHNICAL SPECIFICATIONS

VOLTS		120V
AMPS		12.5A
WATTS		1500W
HEATER	HIGH	1500W watts
	LOW	750W watts
NO HEATER		27 WATTS MAX
LAMPS	QUANTITY	114 PCS LED
	WATTS	0.5W&0.15W&0.06W
	TOTAL WATTS	26.3 W
ROTOR MOTOR		1 at 2.9 watts
HEIGHT.WIDTH.DEPTH		19 1/2 " X50 " X5 1/8 "
GLASS VIEWING OPENING		11 1/8 " X46 1/8 "
FRAMING SIZE		18 1/2 " X47 7/8 " X6 7/8 "
SHIPPING SIZE		
SHIPPING WEIGHT		*** Kgs
	UNIT	1
	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORO LENGTH		70.9 < L < 95.5
APPROX.HEATING AREA		400 SQ FT



Fire & Ice

SERIES Classic Traditional	MODEL EVO5020		REV 1
SCALE 1"=1'-0"	DATE:16/05/2024	SHEET 1 OF 1	




TECHNICAL SPECIFICATIONS

VOLTS		120V
AMPS		12.5A
WATTS		1500W
HEATER	HIGH	1500W watts
	LOW	750W watts
NO HEATER		39 WATTS MAX
LAMPS	QUANTITY	136 PCS LED
	WATTS	0.5W&0.15W&0.06W
	TOTAL WATTS	38 W
ROTOR MOTOR		1 at 2.9 watts
HEIGHT.WIDTH.DEPTH		49.2 X 152.4 X 13.2 cm
GLASS VIEWING OPENING		28.2 X142.4 cm
FRAMING SIZE		47 X 146.9 X 17.3 cm
SHIPPING SIZE		
SHIPPING WEIGHT		*** Kgs
	UNIT	1
	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORO LENGTH		70.9 < L < 95.5
APPROX.HEATING AREA		400 SQ FT



Fire & Ice

SERIES Classic Traditional	MODEL EVO6020		REV 1
SCALE 1"=1'-0"	DATE:16/05/2024	SHEET 1 OF 1	



TECHNICAL SPECIFICATIONS

VOLTS		120V
AMPS		12.5A
WATTS		1500W
HEATER	HIGH	1500W watts
	LOW	750W watts
NO HEATER		39 WATTS MAX
LAMPS	QUANTITY	136 PCS LED
	WATTS	0.5W&0.15W&0.06W
	TOTAL WATTS	38 W
ROTOR MOTOR		1 at 2.9 watts
HEIGHT.WIDTH.DEPTH		19 1/2 " X60 " X5 1/8 "
GLASS VIEWING OPENING		11 1/8 " X56 1/8 "
FRAMING SIZE		18 1/2 " X57 7/8 " X6 7/8 "
SHIPPING SIZE		
SHIPPING WEIGHT		*** Kgs
	UNIT	1
	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORO LENGTH		70.9 < L < 95.5
APPROX.HEATING AREA		400 SQ FT



Fire & Ice

SERIES Classic Traditional	MODEL EVO6020		REV 1
SCALE 1"=1'-0"	DATE:16/05/2024	SHEET 1 OF 1	